

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence for Patent No. 7,156,814 is being electronically transmitted to the U.S. Patent and Trademark Office, via EFS-WEB, on September 25, 2007

/Kevin G. Rooney/
Kevin G. Rooney, Reg. No. 36,330

September 25, 2007
Date

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: Warren P. Williamson IV et al.
Patent No.: 7,156,814
Issue Date: January 2, 2007
Title: APPARATUS AND METHOD FOR HARVESTING AND
HANDLING TISSUE SAMPLES FOR BIOPSY ANALYSIS
Confirmation No.: 7549
Atty Docket No.: BIOP-02

Cincinnati, Ohio

September 25, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO AND APPLICANTS' MISTAKES

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains errors that occurred through the fault of the Patent Office and Applicants and also contains errors of a clerical, typographical nature.

This request is made under 17 C.F.R. § 1.322 and § 1.323 to correct various mistakes. The patent shows that Applicants' mistakes were made in good faith.

Column 3, line 39, change "lab;" to --lab,--.

Column 4, line 19, change "parrifin" to --paraffin--.

Column 5, line 51, delete "is".

Column 6, line 44, change "accommodates" to --accommodate--.

Column 6, line 48, change "processiing" to --processing--.

Column 7, line 1, change "Thuse" to --Thus-- and "suport" to --support--.

Column 8, line 42, change "biopsies" to --biopsies,--.

Column 9, line 2, change "reduces" to --reduce--.

Column 9, line 8, change "histotech-nologist" to --histotechnologist--.

Column 9, line 26, delete "of the sectionable cassettes".

Column 9, line 61, change "necessar-ily" to --necessarily--.

Column 10, line 64, change "examiination" to --examination--.

Column 11, lines 21-22, change "unfulfilled" to --unfulfilled--.

Column 13, line 3, delete "to" and change "off" to --of--.

Column 15, line 60, change "ample" to --sample--.

Column 16, line 57, change "suport" to --support--.

Column 17, line 6, change "manupulable" to --manipulable--.

Column 17, line 11, change "comprisng" to --comprising--.

Column 17, line 57, change "programmagle" to --programmable--.

Column 18, line 4, after "alternatively" insert --be--.

Column 18, line 21, change "machiine" to --machine-- and change "cold"

to --could--.

Column 18, line 26, change "pathoogy" to --pathology--.

Column 18, line 62, change "infra red" to --infrared--.

Column 19, line 3, after "analyzed" insert --by--.

Column 19, line 6, change "applicaion" to --application--.

Column 19, line 11, change "sub-speciality" to --sub-specialty--.

Column 22, line 65, change "automted" to --automated--.

Column 23, line 2, change "ocersee" to --oversee--.

Column 23, line 7, change "conrols" to --controls--.

Column 26, line 13, change "is" to --it--.

Column 26, line 31, delete "and".

Column 27, line 6, after "necessary" insert --in--.

Column 27, line 19, change "including," to --including--.

Column 28, line 5, change "taught" to --taut--.

Column 28, line 10, change "moves" to --move--.

Column 28, line 52, change "adapeter" to --adapter--.

Column 29, line 2, delete "20:".

Column 30, line 32, change "is" to --can--.

Column 32, line 22, change "is" to --are--.

Column 33, line 1, change "achieves" to --achieve--.

Column 33, line 10, delete "35".

Column 34, line 27, change "Break" to --break--.

Column 34, line 41, change "efficating" to --effecting--.

Column 35, line 35, change "67 70" to --67-70-- and "64 66" to --64-66--.

Column 35, line 40, change "uses" to --use--.

Column 35, line 56, change "releast" to --release--.

Column 36, line 21, change "Aliphitic" to --Aliphatic" and "Alchol" to --Alcohol--.

Column 36, line 22, change "pariffin" to --paraffin--.

Column 36, line 33, change "Inc" to --Inc--.

Column 36, line 34, change "©" to --®--.

Column 37, change "concavo-convex" to --concave-convex--.

Column 38, line 1, change "7241" to --724--.

In accordance with the established procedure for handling such certificates, a Form PTO-1050 (Rev. 2-93) is enclosed herewith listing the error.

Applicants do not believe that any fees are due in connection with this submission other than the \$100.00 fee set forth in Rule 1.20(a). If any other fees are necessary, the Commissioner may consider this to be a request for such and charge any necessary fees to deposit account 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P

/Kevin G. Rooney/

Kevin G. Rooney

Reg. No. 36,330

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202
(513) 241-2324

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,156,814

Page 1 of 6

DATED : January 2, 2007

INVENTOR(S) : Warren P. Williamson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

Line 39, change "lab;" to --lab,--.

Column 4

Line 19, change "parrifin" to --paraffin--.

Column 5

Line 51, delete "is".

Column 6

Line 44, change "accommodates" to --accommodate--.

Line 48, change "processiing" to --processing--.

Column 7

Line 1, change "Thuse" to --Thus-- and "suport" to --support--.

Column 8

Line 42, change "biopsies" to --biopsies,--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,156,814
No. of add'l copies
@ 50¢ per page:

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,156,814

Page 2 of 6

DATED : January 2, 2007

INVENTOR(S) : Warren P. Williamson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9

Line 2, change "reduces" to --reduce--.

Line 8, change "histotech-nologist" to --histotechnologist--.

Line 26, delete "of the sectionable cassettes".

Line 61, change "necessar-ily" to --necessarily--.

Column 10

Line 64, change "examiination" to --examination--.

Column 11

Lines 21-22, change "unfulfilled" to --unfulfilled--.

Column 13

Line 3, delete "to" and change "off" to --of--.

Column 15

Line 60, change "ample" to --sample--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,156,814
No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,156,814

Page 3 of 6

DATED : January 2, 2007

INVENTOR(S) : Warren P. Williamson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16

Line 57, change "suport" to --suport--.

Column 17

Line 6, change "manupulable" to --manipulable--.

Lline 11, change "comprisng" to --comprising--.

Line 57, change "programmagle" to --programmable--.

Column 18

Line 4, after "alternatively" insert --be--.

Line 21, change "machiine" to --machine-- and change "cold" to --could--.

Line 26, change "pathoogy" to --pathology--.

Line 62, change "infra red" to --infrared--.

Column 19

Line 3, after "analyzed" insert --by--.

Line 6, change "applicaion" to --application--.

Line 11, change "sub-speciality" to --sub-specialty--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,156,814
No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,156,814

Page 4 of 6

DATED : January 2, 2007

INVENTOR(S) : Warren P. Williamson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22

Line 65, change "automted" to --automated--.

Column 23

Line 2, change "ocersee" to --oversee--.

Line 7, change "conrols" to --controls--.

Column 26

Line 13, change "is" to --it--.

Line 31, delete "and".

Column 27

Line 6, after "necessary" insert --in--.

Line 19, change "including," to --including--.

Column 28

Line 5, change "taught" to --taut--.

Line 10, change "moves" to --move--.

Line 52, change "adapeter" to --adapter--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,156,814
No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,156,814

Page 5 of 6

DATED : January 2, 2007

INVENTOR(S) : Warren P. Williamson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 29

Line 2, delete "20:".

Column 30

Line 32, change "is" to --can--.

Column 32

Line 22, change "is" to --are--.

Column 33

Line 1, change "achieves" to --achieve--.

Line 10, delete "35".

Column 34

Line 27, change "Break" to --break--.

Line 41, change "efficating" to --effecting--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,156,814
No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,156,814

Page 6 of 6

DATED : January 2, 2007

INVENTOR(S) : Warren P. Williamson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 35

Line 35, change "67 70" to --67-70-- and "64 66" to --64-66--.

Line 40, change "uses" to --use--.

Line 56, change "releas" to --release--.

Column 36

Line 21, change "Aliphatic" to --Aliphatic" and "Alchol" to --Alcohol--.

Line 22, change "pariffin" to --paraffin--.

Line 33, change "Inc" to --Inc--.

Line 34, change "©" to --®--.

Column 37

Line 27 change "concavo-convex" to --concave-convex--.

Column 38

Line 1, change "7241" to --724--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,156,814
No. of add'l copies
@ 50¢ per page: